

零件

N1 ~ N8

N

零件等

N

零件

技术资料
索引



螺钉	N2
螺钉 / 偏心轴 / 杠销 / 垫片	N4
垫片	N5
垫片 / 垫板	N6
止动圈 / 销 / 螺母 / 拉销 / 扳手	N7
扳手	N8

库存标识和记号


- 记号：标准库存品
- 记号：计划在将来被各页记载的新产品替换
- ▲记号：计划在将来被新产品替换、改为接单生产或停止生产(请确认有无库存。)

- *记号：准标准库存品(请确认有无库存)
- 记号：计划备库品(请确认有无库存)
- 无记号：接单产品
- 记号：不生产

螺纹

■ 螺钉


双头螺钉(两侧内六角孔)



型号	库存	尺寸(mm)						N·m
		d	螺距	L	ℓ	D	B	
*WB4-8	●	M4	0.7	7.5	3	3.0	2	—
WB5-10	●	M5	0.8	10	4	3.8	2.5	—
WB5-12	●	M5	0.8	12	5	3.8	2.5	—
WB6-10	●	M6	1.0	10	3.5	4.5	3	—
WB6-13	●	M6	1.0	13	5	4.5	3	—
WB6-16	●	M6	1.0	16	6	4.5	3	—
WB6-20	●	M6	1.0	20	8.5	4.5	3	—
WB6-30	●	M6	1.0	30	12	4.5	3	—
WB8-20	●	M8	1.25	20	8.5	6.2	4	—
WB8-24	●	M8	1.25	24	8.5	6.2	4	—
WB8-30	●	M8	1.25	30	11.5	6.2	4	—

*: 仅左螺纹侧带扳手孔。


双头螺钉(花形单孔)



型号	库存	尺寸(mm)						N·m
		d	螺距	L	ℓ	D	B	
WB6-13T	●	M6	1.0	13	5	4.5	T20	—
WB6-16T	●	M6	1.0	16	6	4.5	T20	—
WB6-20T	●	M6	1.0	20	8.5	4.5	T20	—
WB6-20TL	●	M6	1.0	20	8.5	4.5	T20	—
WB7-15T	●	M7	1.0	15	5.5	5	T25	—
WB7F-15T	●	M7	0.75	15	5.5	5	T25	—
WB7F-20TL	●	M7	0.75	20	8.5	5.5	T25	—
WB8-22T	●	M8	1.25	22	8.5	6.2	T27	—
WB8-22TL	●	M8	1.25	22	8.5	6.2	T27	—
WB8-30T	●	M8	1.25	30	11.5	6.2	T27	—
WB8R-16T	●	M8	1.25	14	5.5	6.2	T27	—
WB8L-16T	●	M8	1.25	14	5.5	6.2	T27	—

花形孔位置
型号末尾的T: 左螺纹侧,
TL: 右螺纹侧

沉头螺钉(内六角螺杆)



型号	库存	尺寸(mm)						N·m
		d	螺距	L	ℓ	D	B	
BX0304	●	M3	0.5	4	全螺纹	5.5	2.5	—
BX0308	●	M3	0.5	8	全螺纹	5.5	2.5	—
BX0408	●	M4	0.7	8	全螺纹	7	3	—
BX0410	●	M4	0.7	10	全螺纹	7	3	—
BX0414	●	M4	0.7	14	全螺纹	7	3	—
BX0418	●	M4	0.7	18	—	7	3	—
BX0425	●	M4	0.7	25	20	7	3	—
BX0508	●	M5	0.8	8	全螺纹	8.5	4	—
BX0510	●	M5	0.8	10	全螺纹	8.5	4	—
BX0512	●	M5	0.8	12	全螺纹	8.5	4	—
BX0515	●	M5	0.8	15	全螺纹	8.5	4	—
BX0520	●	M5	0.8	20	全螺纹	8.5	4	5.0
*BX0520T	●	M5	0.8	20	16	8.5	T20	—
BX0610	●	M6	1.0	10	全螺纹	10	5	—
BX0615	●	M6	1.0	15	全螺纹	10	5	—
BX0620	●	M6	1.0	20	全螺纹	10	5	—
BX0622	●	M6	1.0	22	18	10	5	—
BX0625	●	M6	1.0	25	18	10	5	—
BX0820	●	M8	1.25	20	全螺纹	13	6	—
BX0845	●	M8	1.25	45	—	13	6	—
BX0850	●	M8	1.25	50	—	13	6	—
BX1060	●	M10	1.5	60	—	16	8	—
BX1260	●	M12	1.75	60	—	18	10	—
BX1265	●	M12	1.75	66	—	18	10	—
BX1660	●	M16	2.0	60	—	24	14	—
BX2065	●	M20	2.5	65	—	30	17	—
EHBX0512	●	M5	0.8	12	10.5	8	4	—
*FADR	●	M7	1.0	10	7	10.5	T25	—

*带花形孔

沉头螺钉(带加强花形孔)



型号	库存	尺寸(mm)						N·m	
BXA0310IP	●	M3	0.5	7.5	全螺纹	5.3	2.4	10IP	2.0


带OH沉头螺钉



型号	库存	尺寸(mm)						N·m	
BXH0825-D13	●	M8	1.25	25	全螺纹	13	8	6	—
BXH1030-D16	●	M10	1.5	30	全螺纹	16	10	8	—
BXH1235-D18	●	M12	1.75	35	全螺纹	18	12	10	—


■ 螺钉

带OH沉头螺钉




型号	库存	尺寸(mm)								N·m
		d	螺距	L	ℓ	D	H1	H2	B	
BXH1235-D33	●	M12	1.75	35	全螺纹	33	10	2	10	—
BXH1635-D40	●	M16	2.0	35	30	40	10	—	14	—
BXH2036-D50	●	M20	2.5	36	29	50	14	4	17	—

安装螺钉(内六角止动螺钉)



型号	库存	尺寸(mm)						N·m
		d	螺距	L	ℓ	D	B	
BTD0408	●	M4	0.7	8	2	2.8	2	—
BTD0508	●	M5	0.8	8	2	3.5	2.5	—
BTD05F09	●	M5	0.5	9	2	4	T15	—
BTD0510	●	M5	0.8	10	3	3.5	2.5	—
BTD0609	●	M6	1.0	9	2	4	3	—
BTD0812	●	M8	1.25	12	2	5	4	—
BTD0818	●	M8	1.25	18	6	5	4	—

钮头螺钉



型号	库存	尺寸(mm)						N·m
		d	螺距	L	ℓ	D	B	
BH0304	●	M3	0.5	4	全螺纹	5.5	2	—
BH0306	●	M3	0.5	6	全螺纹	5.5	2	—
FBUP3-A0-9 (BH0308相当)	●	M3	0.5	8	全螺纹	5.5	2	1.0
BH0310	●	M3	0.5	10	全螺纹	5.5	2	—
BH03504	●	M3.5	0.6	4	全螺纹	7	2	—
BH0408	●	M4	0.7	8	全螺纹	6	2.5	—
BH0410T	●	M4	0.7	10	8	7.5	T15	—
BH0516	●	M5	0.8	16	14.4	9.5	3	—
BH0615	●	M6	1.0	15	全螺纹	10.5	4	—
BH0616	●	M6	1.0	16	14	10.5	4	—
BH0620	●	M6	1.0	20	全螺纹	10.5	4	—
BH0824R	●	M8	1.25	24	20	12	4	—
*BH0824L	●	M8	1.25	24	20	12	4	—
BH0825	●	M8	1.25	25	22.5	14	5	—
BH0830R	●	M8	1.25	30	26	12	4	—
*BH0830L	●	M8	1.25	30	26	12	4	—
BH1030R	●	M10	1.5	30	26	14	5	—
*BH1030L	●	M10	1.5	30	26	14	5	—
BH1036R	●	M10	1.5	36	32	14	5	—
*BH1036L	●	M10	1.5	36	32	14	5	—

★: 螺纹侧也有相同的扳手孔(B)
※: 表示左旋螺纹

特型沉头螺钉(内六角螺杆)



型号	库存	尺寸(mm)						N·m
		d	螺距	L	ℓ	D	B	
BHA0525	●	M5	0.8	25.5	9	8.5	3	—
BHA0625	●	M6	1.0	30	11	10.5	4	—
BHE0407	●	M4	0.7	9.5	2	5.7	2.5	1.8
BHE0510	●	M5	0.8	13	3	7.7	3	2.7

轴向调整用螺栓



型号	库存	尺寸(mm)						N·m
		d	螺距	L	ℓ	D	B	
AJM4F	●	M4	0.5	12	5	8	2	—

轴向调整用螺栓



型号	库存	尺寸(mm)						N·m
		d	螺距	L	ℓ	D	B	
RFJ	●	M4	0.7	12	6	6	2	—

调整用螺栓



型号	库存	尺寸(mm)						N·m
		d	螺距	L	ℓ	D	B	
SRFJ	●	M4	0.7	17	10.5	6	2	—

用于各产品的推荐锁紧扭力(N·m)请参阅各产品页。

螺纹

■ 螺钉

轴向调整螺栓	型号	库存	尺寸(mm)						(N·m)
			d	螺距	L	ℓ	D	B	
	FMJ	●	M4	0.5	15	5	6	3	—

调整用螺栓	型号	库存	尺寸(mm)						(N·m)
			d	螺距	L	ℓ	D	B	
	FMUJ	●	M4	0.7	17	10.5	6	1	—

杠销锁紧用螺栓	型号	库存	尺寸(mm)						(N·m)
			d	螺距	L	ℓ	D	B	
	LCS3	●	M6	1.0	17	10	6	2.5	—
	LCS4	●	M8	1.0	21	10	8	3	—
	LCS5	●	M8	1.0	25	12	8	3	—
	LCS6	●	M10	1.0	27.2	14.4	9.8	4	—
	LCS4CA	●	M8	1.0	17.5	10	8	3	—
	LCS8	●	M12	1.0	36	18.3	11.8	5	—
	LCS10	●	M5	0.8	14.5	8.5	5	2	—
	LCS12	●	M6	1.0	17	9.6	6	2.5	—
	LCS16	●	M6	1.0	21	13.6	6	2.5	—
	LCS20	●	M8	1.0	23.5	13.2	8	3.0	—
	LCS25	●	M10	1.0	30	17.4	10	4.0	—
	LCS32	●	M12	1.0	36	19.3	12	5.0	—
	LCS3TE	●	M6	1.0	15.5	8.5	6	2.5	—
	LCS33NT	●	M5	0.8	12	6.2	—	2	—

LCS33NT的形状

锁紧螺钉	型号	库存	尺寸(mm)						(N·m)
			d	螺距	L	ℓ	D	B	
	FBH0512	●	M5	0.8	12	3.1	7.3	3	—
	FBX0811	●	M8	1.25	11.1	4.9	8.5	4	—
	FBX0817	●	M8	1.25	17.1	4.9	8.5	4	—

安装螺钉	型号	库存	尺寸(mm)						(N·m)
			d	螺距	L	ℓ	B	α°	
内六角孔	BT0306	●	M3	0.5	6	—	1.5	—	—
	BT0404	●	M4	0.7	4	—	2	—	—
	BT0406	●	M4	0.7	6	—	2	—	—
	BT0408	●	M4	0.7	8	—	2	—	—
	BT0506	●	M5	0.8	6	—	2.5	—	—
花形孔	BT06035T	●	M6	1.0	3.5	—	T15	—	—

表示BT06035T的形状

安装螺钉(带内六角孔)	型号	库存	尺寸(mm)						(N·m)
			d	螺距	L	ℓ	B	α°	
	BTT0407	●	M4	0.5	7	2.6	—	2	60
	BTT0411	●	M4	0.5	11	2.6	—	2	60

平头螺钉(带内六角孔)	型号	库存	尺寸(mm)						(N·m)
			d	螺距	L	D	B	α°	
	FBUP2-A0-8	●	M3	0.5	10	5.5	2	82	1.0
	BFX0410R	●	M4	0.7	9.5	5.8	2.5	90	1.8
	BFX0410L	●	M4	0.7	9.5	5.8	2.5	90	1.8
	BFX0511R	●	M5	0.8	10.5	7.5	3	90	2.7
	BFX0511L	●	M5	0.8	10.5	7.5	3	90	2.7
	※: 表示左旋螺纹 ※								

特型沉头螺钉(带内六角孔)	型号	库存	尺寸(mm)						(N·m)
			d	螺距	L	D	B	α°	
	BXF0520R	●	M5	0.8	25	8.5	4	90	7.0
	BXF0616	●	M6	1.0	16	9	4	90	—

用于各产品的推荐锁紧扭力(N·m)请参阅各产品页。

■ 螺钉

沉头螺钉	型号	库存	尺寸(mm)						(N·m)	
			d	螺距	L	ℓ	D	B		
	QBX120	●	M12	1.75	54	30	22	10	14	—
	QBX160	●	M16	2.0	56	30	28	14	16	—

特殊中空螺钉	型号	库存	尺寸(mm)						(N·m)
			d	螺距	L	ℓ	D	B	
	BW0507F	●	M5	0.5	7	1.2	6.3	3.5	—
	BW0609F	●	M6	0.75	9	1.5	7.7	4	—

平头螺钉(带花形孔)	型号	库存	尺寸(mm)						(N·m)
			d	螺距	L	D	B	α°	
	BFT2045T06	●	M2	0.4	4.5	2.7	T6	60	—
	BFT2506T08	●	M2.5	0.45	6	3.45	T8	60	—
	BFTY02205	●	M2.2	0.45	5	3.05	T7	60	—
	BFTY02206	●	M2.2	0.45	5.6	3.05	T7	60	1.0
	BFNO511T	●	M5	0.8	10.5	7.3	T20	90	—
	BFTX016033	●	M1.6	0.35	3.3	2.6	T6	60	0.2
	BFTX02507	●	M2.5	0.45	6.5	3.45	T8	60	—
	BFTX03508	●	M3.5	0.6	8	5.1	T10	52	2.0
	BFTX03584	●	M3.5	0.6	7.4	5.2	T15	60	3.0
	BFTX03588	●	M3.5	0.6	8.8	5.2	T15	60	3.4
	BFTX0408	●	M4	0.7	8	5.5	T15	60	—
	BFTX0414	●	M4	0.7	14.5	5.5	T15	60	3.0
	BFTX01604N	●	M1.6	0.35	4.2	2.4	T6	60	0.2
	BFTX0203N	●	M2	0.4	3	2.7	T6	60	0.5
	BFTX0204N	●	M2	0.4	4.3	2.7	T6	60	0.5
	BFTX02205N	●	M2.2	0.45	4.5	3	T6	60	0.5
	BFTX02505N	●	M2.5	0.45	4.5	3.45	T8	60	1.1
	BFTX02506N	●	M2.5	0.45	5.5	3.45	T8	60	1.5
	BFTX0305N	●	M3	0.5	5.3	4.2	T10	60	2.0
	BFTX0306N	●	M3	0.5	5.8	4.2	T10	60	2.0
	BFTX0307N	●	M3	0.5	6.5	4.2	T10	60	2.0
	BFTX02205N	●	M3	0.5	8.5	5.4	T10	60	—
	BFTX0312N	●	M3	0.5	12	5.4	T10	60	—
	BFTX0407N	●	M4	0.7	7	5.6	T15	60	3.0
	BFTX0409N	●	M4	0.7	9	5.6	T15	60	3.4
	BFTX0412N	●	M4	0.7	12	5.5	T15	60	3.0
	BFTX0509N	●	M5	0.8	9	7	T20	60	5.0
	BFTX0511N	●	M5	0.8	11.5	7	T20	60	5.0
	BFTX0513N	●	M5	0.8	13	7	T20	60	5.0
	BFTX0515N	●	M5	0.8	15	7	T20	60	—
	BFTX0615N	●	M6	1.0	15	9	T25	60	5.0
	BFTX0619N	●	M6	1.0	19	9.3	T25	60	5.0
	BFTX0203A	●	M2	0.4	3	2.7	T6	90	0.5
	BFTX0204A	●	M2	0.4	4.3	2.7	T6	90	0.5
	BFTX0305A	●	M3	0.5	5.3	4.3	T10	90	—
	BFTX0306A	●	M3	0.5	5.8	4.3	T10	90	2.0
	BFTX0307A	●	M3	0.5	6.8	4.3	T10	90	2.0
	BFTX0407A	●	M4	0.7	7.3	5.6	T15	90	3.4
	BFTX0410A	●	M4	0.7	10.3	5.6	T15	90	3.4
	BFTX0509A	●	M5	0.8	9.3	6.9	T20	90	5.0
BFTX0204NS	●	M2	0.4	4.4	3.2	T1.8	82	0.7	
BFTX0205NS	●	M2	0.4	5.5	3.2	T1.8	90	0.7	
BFTX02506NS	●	M2.5	0.45	6.8	3.6	T2.2	90	1.4	
BFTX0307NS	●	M3	0.5	7.8	4.2	T2.9	90	3	
BFTX02206NT	●	M2.2	0.45	6	3.2	T1.8	60	0.7	
BFTX02507NT	●	M2.5	0.45	7	3.6	T2.2	60	1.4	
BFTX0408NT	●	M4	0.7	8	5.8	T3.6	60	5	
BFTX0410NT	●	M4	0.7	10	5.8	T3.6	60	5	
BFTX02508NV	●	M2.5	0.45	7.5	3.45	T8	60	1.5	

※仅BFTX02508NV

螺钉/偏心轴/杠销/垫片

零件等

零件

技术资料

■ 螺钉

特型沉头螺钉 BXD型	型号	库存	尺寸(mm)						N·m
			d	螺距	L	ℓ	D	B	
	BFF2506T08	●	M2.5	0.8	7.5	6	3.45	T8	—
	BFF3505T10	●	M3.5	0.6	6.6	5	5	T10	—
	BFF4510T15	●	M4.5	0.75	12.1	10.5	5.9	T15	—

平头螺钉(带两面花形孔)	型号	库存	尺寸(mm)						N·m
			d	螺距	L	D	B	α°	
	BFTX0410T8R	●	M4	0.7	9.6	5.6	T8	60	1.1
	BFTX0410T8L	●	M4	0.7	9.6	5.6	T8	60	1.1

※: 表示左旋螺纹
末尾R: 右螺纹 L: 左螺纹

高精度螺钉(带花形孔) <SEC加工工球头立铣刀用>	型号	库存	尺寸(mm)						N·m
			d	螺距	L	D	B	α°	
	BFTG0408F	●	M4	0.5	7.5	5.7	T15	61	3.4
	BFTG0409F	●	M4	0.5	8.4	6.15	T15	61	3.4
	BFTG0513F	●	M5	0.5	13	6.8	T20	61	5.0
	BFTG0617F	●	M6	0.75	16.5	8	T25	61	7.5
	BFTG0621F	●	M6	0.75	21	9.5	T25	61	7.5
	BFTG0825F	●	M8	0.75	24.5	12	T25	61	7.5

平头螺钉(带加强花形孔)	型号	库存	尺寸(mm)						N·m
			d	螺距	L	D	B	α°	
	BFTX01804IP	●	M1.8	0.35	3.7	2.45	6P	60	—
	BFTX02505IP	●	M2.5	0.45	4.5	3.45	8P	60	—
	BFTX02506IP	●	M2.5	0.45	5.5	3.45	8P	60	—
	BFTX0305IP	●	M3	0.5	5.3	3.8	8P	60	2.0
	BFTX0306IP	●	M3	0.5	6	3.8	8P	60	2.0
	BFTX0307IP	●	M3	0.5	7	4.3	10P	55	2.0
	BFTX0308IP	●	M3	0.5	8	3.8	8P	60	—
	BFTX03510IP	●	M3.5	—	9.65	5.3	—	60	—
	BFTX03510IP08	●	M3.5	0.6	10	5.3	8P	60	—
	BFTX03510IP15	●	M3.5	0.6	10	5.3	15P	60	—
	BFTX03512IP	●	M3.5	0.6	11.5	5.3	15P	60	3.0
	BFTX03584IP	●	M3.5	0.6	7.4	5.2	15P	60	—
	BFTX0407IP	●	M4	0.7	8	5.6	15P	60	3.0
	BFTX0409IP	●	M4	0.7	9	5.6	15P	60	3.0
	BFTX0412IP	●	M4	0.7	12	5.5	15P	60	3.0
	BFTX0418IP	●	M4	0.7	18	5.5	15P	60	—
	BFTX04513IP20	●	M4.5	0.75	13.1	6.8	20P	60	—
	BFTX0511IP	●	M5	0.8	11.5	7	20P	60	—
	BFTX0513IP	●	M5	0.8	13	7	20P	60	—
	BFTX0615IP	●	M6	1.0	15	9	25P	60	—

平头螺钉 (两面带加强花形孔)	型号	库存	尺寸(mm)						N·m
			d	螺距	L	D	B	α°	
	BFTX0410NSW	●	M4	0.7	10	5.8	2.2	90	1.4
	BFTX0410NTW	●	M4	0.7	10	5.85	2.2	60	1.4
	BFTX0412NTW	●	M4	0.7	12	5.85	2.2	60	1.4

沉头螺钉 (带加强花形孔)	型号	库存	尺寸(mm)						N·m
			d	螺距	L	ℓ	D	B	
	BXD02208IP	●	M2.2	0.45	7.5	5.7	3.5	8P	—
	BXD02509IP	●	M2.5	0.45	9	7	4.1	10P	—
	BXD03011IP	●	M3	0.5	10.5	8	4.9	15P	—
	BXD03512IP	●	M3.5	0.6	11.5	8.8	5.5	15P	—
	BXD04014IP	●	M4	0.7	12.5	9.5	6	20P	—
	BXD04515IP	●	M4.5	0.75	14.3	10.8	6.8	25P	—

■ 偏心轴

SEC-镗孔刀用	型号	库存	尺寸(mm)						N·m
			d	D ₁	D ₂	L	ℓ	B	
	CPB43	●	4.5	5.5	7	19	5	3	—
	CPB44T	●	4.5	5.5	7	22	5	3	—
	CPB43S	●	4.5	5.5	7	16	5	3	—
	CPB32C	●	3.3	4.1	5.5	14	3.4	2.5	—
	CPB32	●	3.4	4.1	5.5	14	3.4	2.5	—
	CPB34	●	3.4	4.1	5.5	14	5	2.5	—
	CPB35	●	3.4	4.1	5.5	17	5	2.5	—
	CPB42	●	4.5	5.5	7	14	5	3	—
	CPB64	●	6.8	8.2	10.5	24	6.6	4	—

■ 偏心轴

SEC-30型刀杆用	型号	库存	尺寸(mm)						N·m
			d	D ₁	D ₂	L	ℓ	—	
	P432U	●	5.025	7	7.5	21	4.9	—	—
	P433U	●	5.025	7	7.5	24	4.9	—	—
	P434U	●	5.025	7	7.5	30	4.9	—	—
	P221US	●	2.11	3.5	4	18	3.3	—	—
	P321US	●	3.635	5	5.5	18	3.3	—	—
	P322US	●	3.635	5	5.5	21	3.3	—	—
	P323US	●	3.635	5	5.5	24	3.3	—	—
	P332US	●	3.635	5	5.5	21	4.9	—	—
	P333US	●	3.635	5	5.5	24	4.9	—	—
	P334US	●	3.635	5	5.5	30	4.9	—	—

SEC-30型刀杆用	型号	库存	尺寸(mm)						N·m
			d	D ₁	D ₂	L	ℓ	—	
	P433W	●	5.025	7	7.8	24	4.9	—	—
	P434W	●	5.025	7	7.8	30	4.9	—	—
	P323WS	●	3.635	5	5.8	24	3.3	—	—
	P333WS	●	3.635	5	5.8	24	4.9	—	—
	P334WS	●	3.635	5	5.8	30	4.9	—	—

SEC-60型刀杆用	型号	库存	尺寸(mm)						N·m
			d	D ₁	D ₂	L	ℓ	—	
	CPZ333	▲	3.4	4.1	5.5	25	5	—	—
	CPZ333V	●	3.4	4.1	5.5	29	5	—	—
	CPZ334	●	3.4	4.1	5.5	32	5.5	—	—
	CPZ334V	●	3.4	4.1	5.5	35	5	—	—

SEC-刀夹单元BU型用	型号	库存	尺寸(mm)						N·m
			d	D	D ₂	L	ℓ	B	
	CPU304C	●	3.3	5.5	—	10	3.5	3	—

■ 杠销

	型号	库存	尺寸(mm)						N·m
			A	H	L	d	—	—	
	LCL06	●	2.5	6.28	7	2	—	—	—
	LCL09	●	3.4	9.3	10.75	3	—	—	—
	LCL10	●	3.4	11.8	10.8	3	—	—	—
	LCL12	●	3.7	13.4	12.9	3.5	—	—	—
	LCL16	●	4.6	17.6	18.4	4.4	—	—	—
	LCL20	●	6	18.9	20.4	5.6	—	—	—

	型号	库存	尺寸(mm)						N·m
			A	H	L	C	—	—	
	LCL3S	●	3.7	10.6	10	3.6	—	—	—
	LCL4S	●	4.7	14	14.55	4.4	—	—	—
	LCL3	●	3.7	12	10	3.6	—	—	—
	LCL4	●	4.7	14	14.55	4.7	—	—	—
	LCL5	●	6	17	17.1	6	—	—	—
	LCL6	●	7.5	21	20.5	7.5	—	—	—
	LCL8	●	8.6	25.4	25.4	8.6	—	—	—
LCL33NT	●	3.2	9.4	10	3.2	—	—	—	

■ 垫片

杠销锁紧用	型号	库存	尺寸(mm)						N·m
			A	T	d	—	—	—	
	LST317	●	9.5	2.7	5.2	—	—	—	—
	LST42	●	12.65	3.18	6.9	—	—	—	—

杠销锁紧用	型号	库存	尺寸(mm)						N·m
			A	T	d	—	—	—	
	LSS32	●	9.48	3.18	5	—	—	—	—
	LSS42	●	12.65	3.18	6.9	—	—	—	—
	LSS53	●	15.85	4.76	7.9	—	—	—	—
	LSS63	●	19	4.76	10	—	—	—	—
	LSS84	●	25.35	6.35	13.2	—	—	—	—

用于各产品的推荐锁紧扭力(N·m)请参阅各产品页。

垫片

■ 垫片

杠销锁紧用 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="5">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>A</th> <th>T</th> <th>d</th> <th>—</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>LSS42B</td> <td>●</td> <td>12.65</td> <td>3.18</td> <td>6.9</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)					N·m	A	T	d	—	—	LSS42B	●	12.65	3.18	6.9	—	—	—																																																
型号	库存			尺寸(mm)						N·m																																																												
		A	T	d	—	—																																																																
LSS42B	●	12.65	3.18	6.9	—	—	—																																																															
杠销锁紧用 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="5">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>A</th> <th>T</th> <th>d</th> <th>—</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>LSC317</td> <td>●</td> <td>9.5</td> <td>2.7</td> <td>5.2</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>LSC32</td> <td>●</td> <td>9.48</td> <td>3.18</td> <td>5</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>LSC42</td> <td>●</td> <td>12.65</td> <td>3.18</td> <td>6.9</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>LSC53</td> <td>●</td> <td>15.85</td> <td>4.76</td> <td>7.9</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>LSC63</td> <td>●</td> <td>19</td> <td>4.76</td> <td>10</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)					N·m	A	T	d	—	—	LSC317	●	9.5	2.7	5.2	—	—	—	LSC32	●	9.48	3.18	5	—	—	—	LSC42	●	12.65	3.18	6.9	—	—	—	LSC53	●	15.85	4.76	7.9	—	—	—	LSC63	●	19	4.76	10	—	—	—																
型号	库存			尺寸(mm)						N·m																																																												
		A	T	d	—	—																																																																
LSC317	●	9.5	2.7	5.2	—	—	—																																																															
LSC32	●	9.48	3.18	5	—	—	—																																																															
LSC42	●	12.65	3.18	6.9	—	—	—																																																															
LSC53	●	15.85	4.76	7.9	—	—	—																																																															
LSC63	●	19	4.76	10	—	—	—																																																															
杠销锁紧用 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="5">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>A</th> <th>T</th> <th>d</th> <th>—</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>LSD317</td> <td>●</td> <td>9.5</td> <td>2.7</td> <td>5.2</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>LSD42</td> <td>●</td> <td>12.65</td> <td>3.18</td> <td>6.9</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)					N·m	A	T	d	—	—	LSD317	●	9.5	2.7	5.2	—	—	—	LSD42	●	12.65	3.18	6.9	—	—	—																																								
型号	库存			尺寸(mm)						N·m																																																												
		A	T	d	—	—																																																																
LSD317	●	9.5	2.7	5.2	—	—	—																																																															
LSD42	●	12.65	3.18	6.9	—	—	—																																																															
杠销锁紧用 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="5">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>A</th> <th>T</th> <th>d</th> <th>—</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>LST317CA</td> <td>●</td> <td>9.33</td> <td>2.7</td> <td>5</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>LST53</td> <td>●</td> <td>15.85</td> <td>4.76</td> <td>7.9</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)					N·m	A	T	d	—	—	LST317CA	●	9.33	2.7	5	—	—	—	LST53	●	15.85	4.76	7.9	—	—	—																																								
型号	库存			尺寸(mm)						N·m																																																												
		A	T	d	—	—																																																																
LST317CA	●	9.33	2.7	5	—	—	—																																																															
LST53	●	15.85	4.76	7.9	—	—	—																																																															
杠销锁紧用 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="5">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>A</th> <th>T</th> <th>d</th> <th>—</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>LSR817</td> <td>●</td> <td>8.4</td> <td>2.7</td> <td>5.2</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>LSR10</td> <td>●</td> <td>8.4</td> <td>3.18</td> <td>4.7</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>LSR12</td> <td>●</td> <td>10</td> <td>3.18</td> <td>4.7</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>LSR16</td> <td>●</td> <td>13.5</td> <td>4.76</td> <td>6.3</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>LSR20</td> <td>●</td> <td>17.2</td> <td>4.76</td> <td>7.9</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>LSR25</td> <td>●</td> <td>22</td> <td>6.35</td> <td>9.5</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>LSR32</td> <td>●</td> <td>28</td> <td>6.35</td> <td>12.7</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)					N·m	A	T	d	—	—	LSR817	●	8.4	2.7	5.2	—	—	—	LSR10	●	8.4	3.18	4.7	—	—	—	LSR12	●	10	3.18	4.7	—	—	—	LSR16	●	13.5	4.76	6.3	—	—	—	LSR20	●	17.2	4.76	7.9	—	—	—	LSR25	●	22	6.35	9.5	—	—	—	LSR32	●	28	6.35	12.7	—	—	—
型号	库存			尺寸(mm)						N·m																																																												
		A	T	d	—	—																																																																
LSR817	●	8.4	2.7	5.2	—	—	—																																																															
LSR10	●	8.4	3.18	4.7	—	—	—																																																															
LSR12	●	10	3.18	4.7	—	—	—																																																															
LSR16	●	13.5	4.76	6.3	—	—	—																																																															
LSR20	●	17.2	4.76	7.9	—	—	—																																																															
LSR25	●	22	6.35	9.5	—	—	—																																																															
LSR32	●	28	6.35	12.7	—	—	—																																																															
杠销锁紧用 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="5">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>A</th> <th>T</th> <th>d</th> <th>—</th> <th>θ°</th> </tr> </thead> <tbody> <tr> <td>LSC42B</td> <td>●</td> <td>12.65</td> <td>3.18</td> <td>6.9</td> <td>—</td> <td>8</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)					N·m	A	T	d	—	θ°	LSC42B	●	12.65	3.18	6.9	—	8	—																																																
型号	库存			尺寸(mm)						N·m																																																												
		A	T	d	—	θ°																																																																
LSC42B	●	12.65	3.18	6.9	—	8	—																																																															
杠销锁紧用 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="5">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>A</th> <th>T</th> <th>d</th> <th>D</th> <th>θ°</th> </tr> </thead> <tbody> <tr> <td>LSW42B</td> <td>●</td> <td>12.7</td> <td>3.18</td> <td>6.9</td> <td>15</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)					N·m	A	T	d	D	θ°	LSW42B	●	12.7	3.18	6.9	15	—	—																																																
型号	库存			尺寸(mm)						N·m																																																												
		A	T	d	D	θ°																																																																
LSW42B	●	12.7	3.18	6.9	15	—	—																																																															
杠销锁紧用 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="5">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>A</th> <th>T</th> <th>d</th> <th>—</th> <th>θ°</th> </tr> </thead> <tbody> <tr> <td>STN1103</td> <td>●</td> <td>6.3</td> <td>3.18</td> <td>3.4</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)					N·m	A	T	d	—	θ°	STN1103	●	6.3	3.18	3.4	—	—	—																																																
型号	库存			尺寸(mm)						N·m																																																												
		A	T	d	—	θ°																																																																
STN1103	●	6.3	3.18	3.4	—	—	—																																																															
SEC-20型、40型刀杆用 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="5">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>A</th> <th>T</th> <th>d</th> <th>—</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>STND323</td> <td>●</td> <td>9.3</td> <td>3.18</td> <td>3.4</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)					N·m	A	T	d	—	—	STND323	●	9.3	3.18	3.4	—	—	—																																																
型号	库存			尺寸(mm)						N·m																																																												
		A	T	d	—	—																																																																
STND323	●	9.3	3.18	3.4	—	—	—																																																															
杠销锁紧用 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="5">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>A</th> <th>T</th> <th>d</th> <th>—</th> <th>θ°</th> </tr> </thead> <tbody> <tr> <td>SSN0903</td> <td>●</td> <td>9.5</td> <td>3.18</td> <td>3.4</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)					N·m	A	T	d	—	θ°	SSN0903	●	9.5	3.18	3.4	—	—	—																																																
型号	库存			尺寸(mm)						N·m																																																												
		A	T	d	—	θ°																																																																
SSN0903	●	9.5	3.18	3.4	—	—	—																																																															

■ 垫片

SEC-20型、40型刀杆用 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="5">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>A</th> <th>T</th> <th>d</th> <th>—</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>SSND423</td> <td>●</td> <td>12.5</td> <td>3.18</td> <td>3.4</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>SSND433</td> <td>●</td> <td>12.5</td> <td>4.76</td> <td>3.4</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)					N·m	A	T	d	—	—	SSND423	●	12.5	3.18	3.4	—	—	—	SSND433	●	12.5	4.76	3.4	—	—	—																																
型号	库存			尺寸(mm)						N·m																																																				
		A	T	d	—	—																																																								
SSND423	●	12.5	3.18	3.4	—	—	—																																																							
SSND433	●	12.5	4.76	3.4	—	—	—																																																							
SEC-30型刀杆用 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="5">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>A</th> <th>T</th> <th>d₁</th> <th>d₂</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>EST32</td> <td>●</td> <td>9.53</td> <td>3.18</td> <td>5.5</td> <td>5.9</td> <td>—</td> <td>—</td> </tr> <tr> <td>EST43</td> <td>●</td> <td>12.7</td> <td>4.76</td> <td>7.5</td> <td>7.9</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)					N·m	A	T	d ₁	d ₂	—	EST32	●	9.53	3.18	5.5	5.9	—	—	EST43	●	12.7	4.76	7.5	7.9	—	—																																
型号	库存			尺寸(mm)						N·m																																																				
		A	T	d ₁	d ₂	—																																																								
EST32	●	9.53	3.18	5.5	5.9	—	—																																																							
EST43	●	12.7	4.76	7.5	7.9	—	—																																																							
SEC-30型刀杆用 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="5">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>A</th> <th>T</th> <th>d₁</th> <th>d₂</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>ESS42</td> <td>●</td> <td>12.73</td> <td>3.18</td> <td>7.5</td> <td>7.9</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)					N·m	A	T	d ₁	d ₂	—	ESS42	●	12.73	3.18	7.5	7.9	—	—																																								
型号	库存			尺寸(mm)						N·m																																																				
		A	T	d ₁	d ₂	—																																																								
ESS42	●	12.73	3.18	7.5	7.9	—	—																																																							
SEC-30型刀杆用 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="5">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>A</th> <th>T</th> <th>d</th> <th>—</th> <th>θ°</th> </tr> </thead> <tbody> <tr> <td>SCN0903</td> <td>●</td> <td>9.5</td> <td>3.18</td> <td>3.4</td> <td>—</td> <td>80</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)					N·m	A	T	d	—	θ°	SCN0903	●	9.5	3.18	3.4	—	80	—																																								
型号	库存			尺寸(mm)						N·m																																																				
		A	T	d	—	θ°																																																								
SCN0903	●	9.5	3.18	3.4	—	80	—																																																							
SEC-30型刀杆用 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="5">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>A</th> <th>T</th> <th>d</th> <th>—</th> <th>θ°</th> </tr> </thead> <tbody> <tr> <td>SDN1103</td> <td>●</td> <td>9.5</td> <td>3.18</td> <td>3.4</td> <td>—</td> <td>55</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)					N·m	A	T	d	—	θ°	SDN1103	●	9.5	3.18	3.4	—	55	—																																								
型号	库存			尺寸(mm)						N·m																																																				
		A	T	d	—	θ°																																																								
SDN1103	●	9.5	3.18	3.4	—	55	—																																																							
SEC-40型刀杆用 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="5">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>A</th> <th>T</th> <th>d</th> <th>—</th> <th>θ°</th> </tr> </thead> <tbody> <tr> <td>SCND433</td> <td>●</td> <td>12.65</td> <td>4.76</td> <td>3.4</td> <td>—</td> <td>80</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)					N·m	A	T	d	—	θ°	SCND433	●	12.65	4.76	3.4	—	80	—																																								
型号	库存			尺寸(mm)						N·m																																																				
		A	T	d	—	θ°																																																								
SCND433	●	12.65	4.76	3.4	—	80	—																																																							
SEC-40型刀杆用 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="5">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>A</th> <th>T</th> <th>d</th> <th>—</th> <th>θ°</th> </tr> </thead> <tbody> <tr> <td>STPD322</td> <td>●</td> <td>8.4</td> <td>3.18</td> <td>3.4</td> <td>—</td> <td>6</td> <td>—</td> </tr> <tr> <td>STPD422</td> <td>●</td> <td>11</td> <td>3.18</td> <td>3.4</td> <td>—</td> <td>6</td> <td>—</td> </tr> <tr> <td>STPL42</td> <td>●</td> <td>11</td> <td>3.18</td> <td>3.4</td> <td>—</td> <td>6</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)					N·m	A	T	d	—	θ°	STPD322	●	8.4	3.18	3.4	—	6	—	STPD422	●	11	3.18	3.4	—	6	—	STPL42	●	11	3.18	3.4	—	6	—																								
型号	库存			尺寸(mm)						N·m																																																				
		A	T	d	—	θ°																																																								
STPD322	●	8.4	3.18	3.4	—	6	—																																																							
STPD422	●	11	3.18	3.4	—	6	—																																																							
STPL42	●	11	3.18	3.4	—	6	—																																																							
SEC-40型刀杆用 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="5">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>A</th> <th>T</th> <th>d</th> <th>—</th> <th>θ°</th> </tr> </thead> <tbody> <tr> <td>SSPD422</td> <td>●</td> <td>11.63</td> <td>3.18</td> <td>3.4</td> <td>—</td> <td>6</td> <td>—</td> </tr> <tr> <td>SSPD522</td> <td>●</td> <td>14.13</td> <td>3.18</td> <td>3.4</td> <td>—</td> <td>6</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)					N·m	A	T	d	—	θ°	SSPD422	●	11.63	3.18	3.4	—	6	—	SSPD522	●	14.13	3.18	3.4	—	6	—																																
型号	库存			尺寸(mm)						N·m																																																				
		A	T	d	—	θ°																																																								
SSPD422	●	11.63	3.18	3.4	—	6	—																																																							
SSPD522	●	14.13	3.18	3.4	—	6	—																																																							
SEC-40型刀杆用 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="5">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>T</th> <th>d</th> <th>D</th> <th>—</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>SRND32</td> <td>●</td> <td>3.2</td> <td>3.4</td> <td>9.53</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>SRND42</td> <td>●</td> <td>—</td> <td>—</td> <td>12.7</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)					N·m	T	d	D	—	—	SRND32	●	3.2	3.4	9.53	—	—	—	SRND42	●	—	—	12.7	—	—	—																																
型号	库存			尺寸(mm)						N·m																																																				
		T	d	D	—	—																																																								
SRND32	●	3.2	3.4	9.53	—	—	—																																																							
SRND42	●	—	—	12.7	—	—	—																																																							
SEC-60型刀杆用 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="5">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>A</th> <th>T</th> <th>d₁</th> <th>d₂</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>SVW322</td> <td>●</td> <td>9.5</td> <td>3.18</td> <td>4.7</td> <td>6.5</td> <td>35</td> <td>—</td> </tr> <tr> <td>SDW323</td> <td>●</td> <td>9.5</td> <td>3.18</td> <td>4.7</td> <td>6.5</td> <td>55</td> <td>—</td> </tr> <tr> <td>SDW423</td> <td>●</td> <td>12.65</td> <td>3.18</td> <td>6.2</td> <td>8</td> <td>55</td> <td>—</td> </tr> <tr> <td>SCW323</td> <td>●</td> <td>9.5</td> <td>3.18</td> <td>4.8</td> <td>6.5</td> <td>80</td> <td>—</td> </tr> <tr> <td>SCW423</td> <td>●</td> <td>12.65</td> <td>3.18</td> <td>6.2</td> <td>8</td> <td>80</td> <td>—</td> </tr> <tr> <td>SCW635</td> <td>●</td> <td>19</td> <td>4.76</td> <td>9</td> <td>11.5</td> <td>80</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)					N·m	A	T	d ₁	d ₂	—	SVW322	●	9.5	3.18	4.7	6.5	35	—	SDW323	●	9.5	3.18	4.7	6.5	55	—	SDW423	●	12.65	3.18	6.2	8	55	—	SCW323	●	9.5	3.18	4.8	6.5	80	—	SCW423	●	12.65	3.18	6.2	8	80	—	SCW635	●	19	4.76	9	11.5	80	—
型号	库存			尺寸(mm)						N·m																																																				
		A	T	d ₁	d ₂	—																																																								
SVW322	●	9.5	3.18	4.7	6.5	35	—																																																							
SDW323	●	9.5	3.18	4.7	6.5	55	—																																																							
SDW423	●	12.65	3.18	6.2	8	55	—																																																							
SCW323	●	9.5	3.18	4.8	6.5	80	—																																																							
SCW423	●	12.65	3.18	6.2	8	80	—																																																							
SCW635	●	19	4.76	9	11.5	80	—																																																							
SEC-M型刀杆用 SEC-镗孔刀用 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="5">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>A</th> <th>T</th> <th>d₁</th> <th>d₂</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>STW323</td> <td>●</td> <td>9.5</td> <td>3.18</td> <td>4.7</td> <td>6.5</td> <td>—</td> <td>—</td> </tr> <tr> <td>STW434</td> <td>●</td> <td>12.65</td> <td>4.76</td> <td>6.2</td> <td>8</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)					N·m	A	T	d ₁	d ₂	—	STW323	●	9.5	3.18	4.7	6.5	—	—	STW434	●	12.65	4.76	6.2	8	—	—																																
型号	库存			尺寸(mm)						N·m																																																				
		A	T	d ₁	d ₂	—																																																								
STW323	●	9.5	3.18	4.7	6.5	—	—																																																							
STW434	●	12.65	4.76	6.2	8	—	—																																																							

垫片/垫板























零件等

N













零件

技术指导





■ 垫片

SEC-M型刀杆用 	型号	库存	尺寸(mm)								
	SWW433	●	12.65	4.76	6.2	8	-	-		-	
SEC-M型刀杆用 	型号	库存	尺寸(mm)								
	WNS0603B	●	9.525	3.18	3.4	4.5	-	-		-	
	WNS0803B	●	12.7	3.18	3.4	4.5	-	-		-	
	WNS0804	●	12.57	4.76	4.4	6	-	-		-	
SEC-镗孔刀用 	型号	库存	尺寸(mm)								
	SSW423	●	12.65	3.18	6.2	8	-	-		-	
SEC-镗孔刀用 	型号	库存	尺寸(mm)								
	SSW635	●	19	4.76	9	11.5	-	-		-	
SEC-D型刀杆用 	型号	库存	尺寸(mm)								
	CNS1204	●	12.57	4.76	4.4	6	0.8	0.8		1.2	1.2
	CNS1606	●	15.75	4.76	5.5	7.5	1.2	1.2		1.2	1.2
	CNS1906	●	18.70	6.35	5.5	7.5	1.6	1.6		1.2	1.2
	CNS2509	●	25.27	6.35	6.6	9.5	2.4	2.4		4.2	4.2
SEC-D型刀杆用 	型号	库存	尺寸(mm)								
	DNS1504	●	12.57	6.35	4.4	6	0.8	0.8		1.2	0.8
	DNS1506	●	12.57	4.76	4.4	6	0.8	0.8		1.2	0.8
	DNS1504-R24	●	12.57	6.35	4.4	6	2	0.8		2.4	0.8
SEC-D型刀杆用 	型号	库存	尺寸(mm)								
	SNS1203B	●	12.57	3.18	3.4	4.5	-	-		-	-
	SNS1204	●	12.57	4.76	4.4	6	0.8	0.8		1.2	1.2
	SNS1506	●	15.75	4.76	5.5	7.5	1.2	1.2		1.2	1.2
	SNS1906	●	18.92	6.35	5.5	7.5	1.2	1.2		1.2	1.2
	SNS2507	●	25.27	7.93	6.6	9.5	2.4	2.4		4.2	4.2
SEC-D型刀杆用 	型号	库存	尺寸(mm)								
	TNS1603B	●	9.525	3.18	3.4	4.5	-	-		-	-
	TNS1604	●	9.45	4.76	3.4	4.5	0.4	0.8		1.2	-
	TNS1604B	●	9.525	4.76	3.4	4.5	-	-		-	-
SEC-D型刀杆用 	型号	库存	尺寸(mm)								
	VNS1604	●	9.45	4.76	3.4	4.5	1.2	0.8		-	-
SEC-D型刀杆用 	型号	库存	尺寸(mm)								
	SVP32	●	7.73	3.55	5.5	-	-	-		-	-
X镗刀负型刀片用 	型号	库存	尺寸(mm)								
	CNS1203B	●	12.57	3.18	3.4	4.5	1.2	0.8		1.2	0.8
	CNS1204B	●	12.57	4.76	4.4	6	1.2	0.8	1.2	0.8	

■ 垫片

X镗刀负型刀片用 	型号	库存	尺寸(mm)								
	DNS1104B	●	9.45	4.76	3.4	4.5	1.2	0.8		1.2	0.8
	DNS1506B	●	12.57	4.76	4.4	6	1.2	0.8		1.2	0.8
SEC-住友双刃铣刀DGC型用 	型号	库存	尺寸(mm)								
	DGCS13R	●	13.7	3.9	6.8	8.8	-	-		5	-
SEC-波刃铣刀WGC/WGX型用 	型号	库存	尺寸(mm)								
	WGCS13R	●	10.7	3	5.5	7.5	-	-		5	-
SEC-波刃铣刀WFX型用 	型号	库存	尺寸(mm)								
	WFXS4R	●	10.2	3	5.5	7.5	-	-		15	-
LTER(切螺纹)用 	型号	库存	尺寸(mm)								
	LSTE31-0	●	9.5	2.7	2.7	5.2	-	-		-	-
	LSTE42-0	●	12.65	3.18	3.18	7	-	-		-	-
SSTE/SSTI(切螺纹)用 	型号	库存	尺寸(mm)								
	YE3	●	9.5	3.2	4	-	-	-		-	-
	YI3	●	9.5	3.2	4	-	-	-		-	-

■ 垫片

TSX型用垫片 	型号	库存	尺寸(mm)						
	TSXS13R	●	12.7	9	6.2	4.4	6	-	
PWS型用垫片 	型号	库存	尺寸(mm)						
	PWSS4R	●	4.6	15	8	-	-	-	

止动圈/销/螺母/拉销/扳手

止动圈

型号	库存	尺寸(mm)						(N·m)
		A	B	T	d	—	—	
ER03	●	7	2.6	0.6	3	—	—	—
ER04	●	9	3.5	0.6	4	—	—	—
ER05	●	11	4.3	0.6	5	—	—	—

销

型号	库存	尺寸(mm)							(N·m)
		d	螺距	L	D	D ₁	d ₁		
MP317	●	M4	0.7	15.5	6	4	3.7	—	
MP317S	●	M4	0.7	15.5	6	4	3.56	—	
MP320	●	M4	0.7	19.5	6	4	3.7	—	
MP320S	●	M4	0.7	19.5	6	4	3.56	—	
MP416	●	M5	0.8	14	7.5	6	5	—	
MP420	●	M5	0.8	20	7.5	6	5	—	

型号	库存	尺寸(mm)						(N·m)
		d	—	L	D	θ°	—	
SPP308	●	3.2	—	8	4.8	60°	—	—

型号	库存	尺寸(mm)						(N·m)
		—	—	L	D	—	—	
SPP3	●	—	—	14	3.2	—	—	—

型号	库存	尺寸(mm)						(N·m)
		d	H	L	—	—	—	
LSP3	●	5	3.3	5.5	—	—	—	—
LSP4	●	6.7	4	7	—	—	—	—
LSP5	●	7.7	4.5	8.5	—	—	—	—
LSP6	●	9.85	6	11.1	—	—	—	—
LSP8	●	13.05	10	12	—	—	—	—
LSP10	●	5	3.3	6.5	—	—	—	—
LSP16	●	6.6	4.5	9	—	—	—	—
LSP20	●	8.2	5.5	9	—	—	—	—
LSP25	●	9.8	6.5	11	—	—	—	—
LSP32	●	13	10	12	—	—	—	—

型号	库存	尺寸(mm)						(N·m)
		d	D	L	ℓ	—	—	
LP04	●	0.4	1.1	4.7	3	—	—	—
LP06	●	0.4	1.1	6	5	—	—	—
LP07	●	0.4	1.1	7.7	3.5	—	—	—

型号	库存	尺寸(mm)						(N·m)
		d ₁	d ₂	L	D	ℓ ₁	ℓ ₂	
VP20	●	M3.5	M4	12	6.5	≥4.5	≥4.5	—
VP25	●	M3.5	M4	17	6.5	≥4.5	≥4.5	—
VP32	●	M3.5	M4	24	6.5	≥4.5	≥4.5	—

型号	库存	尺寸(mm)						(N·m)
		d	螺距	L	ℓ	D ₁	D ₂	
VP32B	●	M3.5	0.6	8	1.4	5	6.5	—
VP40B	●	M3.5	0.6	11.5	1.4	5	6.5	—

螺母

型号	库存	尺寸(mm)						(N·m)
		d	L	D	B	—	—	
CPM32N	●	M4	7.5	7	3	—	—	—
CPM43N	●	M5	8.5	7	3	—	—	—
CPM43S	●	M5	6	7	3	—	—	—

型号	库存	尺寸(mm)						(N·m)
		L	—	—	—	—	—	
BNBW-4	●	4	—	—	—	—	—	—
BNBW-7	●	7	—	—	—	—	—	—

型号	库存	尺寸(mm)						(N·m)
		d	螺距	L	D	B	—	
CPV33N	●	M4	0.5	6	6	2.5	—	—

拉销

型号	库存	尺寸(mm)						Fig	(N·m)
		d	D	L	θ°	—	—		
SR083	●	5	2.9	20	60	—	—	1	—
SR124	●	6	3.9	24	60	—	—	—	—
SR134B	●	6	3.9	22.5	60	—	—	2	—

扳手

型号	库存	尺寸(mm)						(N·m)
		B	L	ℓ	—	—	—	
LH015	●	1.5	45	14	—	—	—	—
LH020	●	2	50	16	—	—	—	—
LH025	●	2.5	56	18	—	—	—	—
LH030	●	3	63	20	—	—	—	—
LH035	●	3.5	68	22	—	—	—	—
LH040	●	4	70	25	—	—	—	—
LH050	●	5	80	28	—	—	—	—
LH060	●	6	90	32	—	—	—	—
LH080	●	8	100	36	—	—	—	—

型号	库存	尺寸(mm)						(N·m)
		B	L	ℓ	—	—	—	
LH020NT	●	2	50	16	—	—	—	—
LH025NT	●	2.5	56	18	—	—	—	—

型号	库存	尺寸(mm)						(N·m)
		B	d	L	ℓ	—	—	
LT08-06	●	T8	2.3	42.5	6	—	—	—
LT15-10	●	T15	2.8	62	10	—	—	—
LT15	●	T15	3.26	54	17.9	—	—	—
LT20	●	T20	3.9	57.2	19.1	—	—	—
LT25	●	T25	4.4	60.3	20.2	—	—	—
LT27	●	T27	4.96	63.5	21.5	—	—	—

型号	库存	尺寸(mm)						(N·m)
		B	d	L	ℓ	—	—	
LT25NT	●	3.6	4	65	10	—	—	—

零件等

N

零件

技术指导

扳手

■ 扳手

扳手(六角) 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="6">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>B</th> <th>b₁</th> <th>C</th> <th>—</th> <th>—</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>TH030</td> <td>●</td> <td>3</td> <td>48</td> <td>28</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>TH040</td> <td>●</td> <td>4</td> <td>48</td> <td>37</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>TH050</td> <td>●</td> <td>5</td> <td>48</td> <td>45</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)						N·m	B	b ₁	C	—	—	—	TH030	●	3	48	28	—	—	—	—	TH040	●	4	48	37	—	—	—	—	TH050	●	5	48	45	—	—	—	—																		
型号	库存			尺寸(mm)							N·m																																																		
		B	b ₁	C	—	—	—																																																						
TH030	●	3	48	28	—	—	—	—																																																					
TH040	●	4	48	37	—	—	—	—																																																					
TH050	●	5	48	45	—	—	—	—																																																					
T型扳手(六角) 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="6">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>B</th> <th>b₁</th> <th>C</th> <th>—</th> <th>—</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>TH015</td> <td>●</td> <td>1.5</td> <td>35</td> <td>30</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>TH020</td> <td>●</td> <td>2</td> <td>35</td> <td>39</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>TH025</td> <td>●</td> <td>2.5</td> <td>35</td> <td>39</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)						N·m	B	b ₁	C	—	—	—	TH015	●	1.5	35	30	—	—	—	—	TH020	●	2	35	39	—	—	—	—	TH025	●	2.5	35	39	—	—	—	—																		
型号	库存			尺寸(mm)							N·m																																																		
		B	b ₁	C	—	—	—																																																						
TH015	●	1.5	35	30	—	—	—	—																																																					
TH020	●	2	35	39	—	—	—	—																																																					
TH025	●	2.5	35	39	—	—	—	—																																																					
带翼扳手(六角) 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="6">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>B</th> <th>C</th> <th>b₁</th> <th>b₂</th> <th>—</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>TSW040</td> <td>●</td> <td>4</td> <td>60</td> <td>20</td> <td>40</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)						N·m	B	C	b ₁	b ₂	—	—	TSW040	●	4	60	20	40	—	—	—																																				
型号	库存			尺寸(mm)							N·m																																																		
		B	C	b ₁	b ₂	—	—																																																						
TSW040	●	4	60	20	40	—	—	—																																																					
带翼扳手(加强花形) 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="6">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>B</th> <th>d</th> <th>C</th> <th>b₁</th> <th>b₂</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>TRXW10IP</td> <td>●</td> <td>10IP</td> <td>2.6</td> <td>40</td> <td>75</td> <td>40</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)						N·m	B	d	C	b ₁	b ₂	—	TRXW10IP	●	10IP	2.6	40	75	40	—	—																																				
型号	库存			尺寸(mm)							N·m																																																		
		B	d	C	b ₁	b ₂	—																																																						
TRXW10IP	●	10IP	2.6	40	75	40	—	—																																																					
T型扳手(花形) 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="6">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>B</th> <th>d</th> <th>C</th> <th>b₁</th> <th>—</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>TTX15W</td> <td>●</td> <td>T15</td> <td>4</td> <td>97</td> <td>28</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>TTX20</td> <td>●</td> <td>T20</td> <td>3.9</td> <td>58</td> <td>47</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>TT25</td> <td>●</td> <td>T25</td> <td>4.4</td> <td>27</td> <td>48</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>TT27</td> <td>●</td> <td>T27</td> <td>5</td> <td>41</td> <td>48</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)						N·m	B	d	C	b ₁	—	—	TTX15W	●	T15	4	97	28	—	—	—	TTX20	●	T20	3.9	58	47	—	—	—	TT25	●	T25	4.4	27	48	—	—	—	TT27	●	T27	5	41	48	—	—	—									
型号	库存			尺寸(mm)							N·m																																																		
		B	d	C	b ₁	—	—																																																						
TTX15W	●	T15	4	97	28	—	—	—																																																					
TTX20	●	T20	3.9	58	47	—	—	—																																																					
TT25	●	T25	4.4	27	48	—	—	—																																																					
TT27	●	T27	5	41	48	—	—	—																																																					
花形扳手 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="6">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>B</th> <th>C</th> <th>b₁</th> <th>b₂</th> <th>—</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>TRX06</td> <td>●</td> <td>T6</td> <td>35.5</td> <td>15</td> <td>15</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>TRX08</td> <td>●</td> <td>T8</td> <td>38.5</td> <td>19</td> <td>19</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>TRX10</td> <td>●</td> <td>T10</td> <td>42.1</td> <td>22</td> <td>22</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>TRX15</td> <td>●</td> <td>T15</td> <td>46</td> <td>22</td> <td>27</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>TRX20</td> <td>●</td> <td>T20</td> <td>49</td> <td>22</td> <td>30</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)						N·m	B	C	b ₁	b ₂	—	—	TRX06	●	T6	35.5	15	15	—	—	—	TRX08	●	T8	38.5	19	19	—	—	—	TRX10	●	T10	42.1	22	22	—	—	—	TRX15	●	T15	46	22	27	—	—	—	TRX20	●	T20	49	22	30	—	—	—
型号	库存			尺寸(mm)							N·m																																																		
		B	C	b ₁	b ₂	—	—																																																						
TRX06	●	T6	35.5	15	15	—	—	—																																																					
TRX08	●	T8	38.5	19	19	—	—	—																																																					
TRX10	●	T10	42.1	22	22	—	—	—																																																					
TRX15	●	T15	46	22	27	—	—	—																																																					
TRX20	●	T20	49	22	30	—	—	—																																																					
花形扳手 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="6">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>B</th> <th>d</th> <th>L</th> <th>l</th> <th>—</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>RT06</td> <td>●</td> <td>2-1.8</td> <td>2</td> <td>35</td> <td>8</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>RT08</td> <td>●</td> <td>2-2.1</td> <td>2.1</td> <td>35</td> <td>8</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)						N·m	B	d	L	l	—	—	RT06	●	2-1.8	2	35	8	—	—	—	RT08	●	2-2.1	2.1	35	8	—	—	—																											
型号	库存			尺寸(mm)							N·m																																																		
		B	d	L	l	—	—																																																						
RT06	●	2-1.8	2	35	8	—	—	—																																																					
RT08	●	2-2.1	2.1	35	8	—	—	—																																																					
花形扳手 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="6">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>d</th> <th>C</th> <th>b₁</th> <th>b₂</th> <th>B</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>RT10</td> <td>●</td> <td>3</td> <td>37</td> <td>20</td> <td>20</td> <td>2.9</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)						N·m	d	C	b ₁	b ₂	B	—	RT10	●	3	37	20	20	2.9	—	—																																				
型号	库存			尺寸(mm)							N·m																																																		
		d	C	b ₁	b ₂	B	—																																																						
RT10	●	3	37	20	20	2.9	—	—																																																					
加强花形扳手 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="6">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>B</th> <th>C</th> <th>b₁</th> <th>b₂</th> <th>—</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>TRX06IP</td> <td>●</td> <td>6IP</td> <td>34</td> <td>15</td> <td>15</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)						N·m	B	C	b ₁	b ₂	—	—	TRX06IP	●	6IP	34	15	15	—	—	—																																				
型号	库存			尺寸(mm)							N·m																																																		
		B	C	b ₁	b ₂	—	—																																																						
TRX06IP	●	6IP	34	15	15	—	—	—																																																					
T型扳手(加强花形) 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="6">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>B</th> <th>d</th> <th>C</th> <th>b₁</th> <th>—</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>TTR15IP</td> <td>●</td> <td>15IP</td> <td>4</td> <td>80</td> <td>25.5</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)						N·m	B	d	C	b ₁	—	—	TTR15IP	●	15IP	4	80	25.5	—	—	—																																				
型号	库存			尺寸(mm)							N·m																																																		
		B	d	C	b ₁	—	—																																																						
TTR15IP	●	15IP	4	80	25.5	—	—	—																																																					
钳口(装拆式扳手前端部) 手柄(另售) 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="6">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>B</th> <th>d</th> <th>—</th> <th>—</th> <th>—</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>TRB10IP</td> <td>●</td> <td>10IP</td> <td>4</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>TRB15IP</td> <td>●</td> <td>15IP</td> <td>4</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>TRB20IP</td> <td>●</td> <td>20IP</td> <td>4.5</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>TRB25IP</td> <td>●</td> <td>25IP</td> <td>5</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)						N·m	B	d	—	—	—	—	TRB10IP	●	10IP	4	—	—	—	—	—	TRB15IP	●	15IP	4	—	—	—	—	—	TRB20IP	●	20IP	4.5	—	—	—	—	—	TRB25IP	●	25IP	5	—	—	—	—	—									
型号	库存			尺寸(mm)							N·m																																																		
		B	d	—	—	—	—																																																						
TRB10IP	●	10IP	4	—	—	—	—	—																																																					
TRB15IP	●	15IP	4	—	—	—	—	—																																																					
TRB20IP	●	20IP	4.5	—	—	—	—	—																																																					
TRB25IP	●	25IP	5	—	—	—	—	—																																																					

■ 扳手

手柄(装拆式柄部) 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="3">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>D</th> <th>L</th> <th>备注</th> </tr> </thead> <tbody> <tr> <td>HPS1015</td> <td>●</td> <td>32</td> <td>99.4</td> <td>10IP, 15IP 用</td> <td>—</td> </tr> <tr> <td>HPL2025</td> <td>●</td> <td>35.5</td> <td>110.3</td> <td>20IP, 25IP 用</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)			N·m	D	L	备注	HPS1015	●	32	99.4	10IP, 15IP 用	—	HPL2025	●	35.5	110.3	20IP, 25IP 用	—																																							
型号	库存			尺寸(mm)				N·m																																																					
		D	L	备注																																																									
HPS1015	●	32	99.4	10IP, 15IP 用	—																																																								
HPL2025	●	35.5	110.3	20IP, 25IP 用	—																																																								
加强花形扳手 (螺丝刀式) 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="6">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>B</th> <th>C</th> <th>b₁</th> <th>—</th> <th>—</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>TRDR08IP</td> <td>●</td> <td>8IP</td> <td>60</td> <td>104</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>TRDR10IP</td> <td>●</td> <td>10IP</td> <td>80</td> <td>111</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>TRDR15IP</td> <td>●</td> <td>15IP</td> <td>80</td> <td>111</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>TRDR20IP</td> <td>●</td> <td>20IP</td> <td>100</td> <td>118</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>TRDR25IP</td> <td>●</td> <td>25IP</td> <td>100</td> <td>118</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)						N·m	B	C	b ₁	—	—	—	TRDR08IP	●	8IP	60	104	—	—	—	—	TRDR10IP	●	10IP	80	111	—	—	—	—	TRDR15IP	●	15IP	80	111	—	—	—	—	TRDR20IP	●	20IP	100	118	—	—	—	—	TRDR25IP	●	25IP	100	118	—	—	—	—
型号	库存			尺寸(mm)							N·m																																																		
		B	C	b ₁	—	—	—																																																						
TRDR08IP	●	8IP	60	104	—	—	—	—																																																					
TRDR10IP	●	10IP	80	111	—	—	—	—																																																					
TRDR15IP	●	15IP	80	111	—	—	—	—																																																					
TRDR20IP	●	20IP	100	118	—	—	—	—																																																					
TRDR25IP	●	25IP	100	118	—	—	—	—																																																					
花形扳手 (螺丝刀式) 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="6">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>B</th> <th>d</th> <th>C</th> <th>b₁</th> <th>—</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>TRD07</td> <td>●</td> <td>T7</td> <td>2</td> <td>45</td> <td>70</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>TRD08</td> <td>●</td> <td>T8</td> <td>2.3</td> <td>55</td> <td>70</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>TRD15</td> <td>●</td> <td>T15</td> <td>3.3</td> <td>70</td> <td>100</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>TRD20</td> <td>●</td> <td>T20</td> <td>3.9</td> <td>100</td> <td>90</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>TRD25</td> <td>●</td> <td>T25</td> <td>5.3</td> <td>80</td> <td>110</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)						N·m	B	d	C	b ₁	—	—	TRD07	●	T7	2	45	70	—	—	—	TRD08	●	T8	2.3	55	70	—	—	—	TRD15	●	T15	3.3	70	100	—	—	—	TRD20	●	T20	3.9	100	90	—	—	—	TRD25	●	T25	5.3	80	110	—	—	—
型号	库存			尺寸(mm)							N·m																																																		
		B	d	C	b ₁	—	—																																																						
TRD07	●	T7	2	45	70	—	—	—																																																					
TRD08	●	T8	2.3	55	70	—	—	—																																																					
TRD15	●	T15	3.3	70	100	—	—	—																																																					
TRD20	●	T20	3.9	100	90	—	—	—																																																					
TRD25	●	T25	5.3	80	110	—	—	—																																																					
钥匙扳手 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="6">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>L</th> <th>a</th> <th>C</th> <th>—</th> <th>—</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>KY25</td> <td>●</td> <td>45</td> <td>2.5</td> <td>10</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>KY40</td> <td>●</td> <td>60</td> <td>4</td> <td>13</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)						N·m	L	a	C	—	—	—	KY25	●	45	2.5	10	—	—	—	—	KY40	●	60	4	13	—	—	—	—																											
型号	库存			尺寸(mm)							N·m																																																		
		L	a	C	—	—	—																																																						
KY25	●	45	2.5	10	—	—	—	—																																																					
KY40	●	60	4	13	—	—	—	—																																																					
直杆扳手(轴向调整螺栓操作用 扳手) 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="6">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>d</th> <th>C</th> <th>b₁</th> <th>b₂</th> <th>—</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>RFT</td> <td>●</td> <td>1.7</td> <td>35</td> <td>15</td> <td>15</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)						N·m	d	C	b ₁	b ₂	—	—	RFT	●	1.7	35	15	15	—	—	—																																				
型号	库存			尺寸(mm)							N·m																																																		
		d	C	b ₁	b ₂	—	—																																																						
RFT	●	1.7	35	15	15	—	—	—																																																					
直杆扳手 	<table border="1"> <thead> <tr> <th rowspan="2">型号</th> <th rowspan="2">库存</th> <th colspan="6">尺寸(mm)</th> <th rowspan="2">N·m</th> </tr> <tr> <th>d₁</th> <th>d₂</th> <th>L</th> <th>H</th> <th>—</th> <th>—</th> </tr> </thead> <tbody> <tr> <td>ANT</td> <td>●</td> <td>5</td> <td>2</td> <td>100</td> <td>4.5</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table>	型号	库存	尺寸(mm)						N·m	d ₁	d ₂	L	H	—	—	ANT	●	5	2	100	4.5	—	—	—																																				
型号	库存			尺寸(mm)							N·m																																																		
		d ₁	d ₂	L	H	—	—																																																						
ANT	●	5	2	100	4.5	—	—	—																																																					

零件等

N

零件

技术资料